


Seko – Blowers



Trade Flow s.r.o.

Oficiální distributor Seko

+420 731 806 252

info@tradeflow.cz

www.tradeflow.cz

www.e-flow.cz

size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"	BL010	40	0,2	70	BL01000100200
1"¼	BL020	80	0,4	130	BL02000100400
	BL030	100	0,55	120	BL03000100500
1"½	BL040	145	0,85	160	BL04000100900
			1,3	200	BL04000101300
2"	BL050	210	1,3	170	BL05000101300
			1,5	190	BL05000101500
			2,2	270	BL05000102200
	BL053	270	1,5	150	BL05300101500
			2,2	230	BL05300102200
	BL060	318	2,2	190	BL06000102200
			3	270	BL06000103000
			4	360	BL06000104000
	BL063	420	1,6	100	BL06300101600
			2,2	170	BL06300102200
			3	200	BL06300103000
			4	280	BL06300104000
2"½	BL070	530	4	200	BL07000104000
			5	320	BL07000105500
			7,5	380	BL07000107500
	BL073	700	4	140	BL07300104000
			5	218	BL07300105500
			7,5	260	BL07300107500
4"	BL090	1050	8,5	190	BL09000108500
			12,5	280	BL09000112500
			15	380	BL09000115000
			18,5	460	BL09000118500
	BL093	1370	8,5	110	BL09300108500
			12,5	180	BL09300112500
18,5	320	BL09300118500			
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL320	88	0,7	240	BL32000200700
1"½	BL420	150	1,6	280	BL42000201600
			2,2	420	BL42000202200
2"	BL520	230	3	410	BL52000203000
			4	490	BL52000204000
	BL620	320	4	375	BL62000204000
			5	500	BL62000205500
7,5	570	BL62000207500			
2"½	BL920	520	7,5	700	BL92000207500
			11	600	BL92000211000
			15	670	BL92000215000

size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL320	88	0,7	240	BL320002007WT
1"½	BL420	150	1,6	280	BL420002016WT
			2,2	420	BL420002022WT
2"	BL520	230	3	410	BL520002030WT
			4	490	BL520002040WT
	BL620	320	4	375	BL620002040WT
			5,5	500	BL620002055WT
			7,5	570	BL620002075WT
2"½	BL920	520	4	400	BL920002075WT
			5,5	600	BL920002110WT
			7,5	670	BL920002150WT
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
2"	BL620	500	4	140	BL62002004000
			5,5	260	BL62002005500
2"½	BL820	900	7,5	180	BL82002007500
			11	370	BL82002011000
4"	BL920	1100	16,5	370	BL92002016500
			20	500	BL92002020000
			25	590	BL92002025000
	BL942	1940	15	110	BL94202015000
			20	200	BL94202020000
			25	280	BL94202025000
5"	BL095	2050	15	170	BL09502015000
			20	230	BL09502020000
			25	280	BL09502025000
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"	BL010	70	0,1	100	BL010001M0200
1"¼	BL020	80	0,4	110	BL020001M0400
	BL030	100	0,55	120	BL030001M0500
	BL040	145	0,85	160	BL040001M0900
			1,3	200	BL040001M1300
2"	BL050	210	1,3	170	BL050001M1300
			1,5	190	BL050001M1500
	BL053	270	1,5	120	BL053001M1300
	BL060	318	2,2	190	BL060001M2200
	BL063	420	1,5	90	BL063001M1500
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL320	88	0,7	240	BL320002M0700
	BL352	120	1,3	280	BL352002M1300
	BL420	150	1,5	260	BL420002M1500

size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL320	88	0,7	240	BL320002M07WT
	BL352	120	1,3	280	BL352002M13WT
	BL420	150	1,5	260	BL420002M15WT
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL024	47	0,55	290	BL02400100500
	BL034	66	0,55	250	BL03400100500
			0,85	350	BL03400100900
	BL044	87	1,1	380	BL04400101100
	BL054	120	1,5	360	BL05400101500
			2,2	470	BL05400102200
	BL064	165	2,2	360	BL06400102200
3,3			480	BL06400103300	
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL224	47	0,81	490	BL22400200900
			1,5	650	BL22400201500
	BL324	65	1,1	480	BL32400201100
			1,6	540	BL32400201500
	BL424	87	1,6	450	BL42400201500
			3,3	750	BL42400203000
	BL524	120	2,2	460	BL52400202200
			4,3	820	BL52400204000
	BL624	165	3,3	500	BL62400203000
			5,5	740	BL62400205500
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL634	170	7,5	1040	BL63400307500
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL024	47	0,55	290	BL024001M0500
	BL034	66	0,85	350	BL034001M0900
	BL044	87	1,1	380	BL044001M1100
size	series	max airflow [m ³ /h]	power [kW]	rated compress [mbar]	code
1"¼	BL224	47	1,5	600	BL224002M1500
	BL324	65	1,5	550	BL324002M1500
description		size	model	material	code
Disc Diffuser		9"	DISC 9	EPDM	BLDD09EN
				Silicon	BLDD09SN
		12,5"	DISC 12,5	EPDM	BLDD12EN
				Silicon	BLDD12SN

Easy Fitting	3/4" BSP	EASY FITTING	EPDM	BLAR
	3/4" NPT			BLARNPT

Tubular Diffuser	300/350	TUBOLAR 300	EPDM	BLTD03EN
			Silicon	BLTD03SN
	500/550	TUBOLAR 500	EPDM	BLTD05EN
			Silicon	BLTD05SN
	800/850	TUBOLAR 800	EPDM	BLTD08EN
			Silicon	BLTD08SN
	1000/ 1050	TUBOLAR 1000	EPDM	BLTD10EN
			Silicon	BLTD10SN

description	size	model	material	code
Safety Valve	1"¼ M	0÷300 mbar	Aluminum	BLSV032AL03
		300÷600 mbar		BLSV032AL36
	2" F	100÷300 mbar		BLSV050AL13
		300÷600 mbar		BLSV050AL36
	4" F	100÷200 mbar		BLSV100AL12
		200÷400 mbar		BLSV100AL24
		400÷600 mbar		BLSV100AL46

description	size blower	model	material	code
Safety Valve Installation Kit	1"¼	1"¼ M	Carbon Steel	BLKS032032C
	1"½	1"¼ M		BLKS032040C
	2"	1"¼ M		BLKS032050C
		2" F		BLKS05F050C
	2"½	2" F		BLKS05F065C
	3"	3" F		BLKS08F080C
	4"	4" F		BLKS10F100C
	5"	4" F		BLKS10F125C

description	size blower	model	material	code
In-Line Filter	1"¼		paper 5-7 µm	BLIL032PA007
	1"½			BLIL040PA007
	2"			BLIL050PA007
	2"½			BLIL065PA007
	3"			BLIL080PA007
	4"			BLIL10SPA007
	short			BLIL100PA007
	4"		Polyester 25 µm	BLIL032PO025
	1"¼	BLIL040PO025		
	1"½	BLIL050PO025		
	2"	BLIL065PO025		
	2"½	BLIL080PO025		
	3"			

4" short				BLIL10SPO025	
4"				BLIL100PO025	
1"¼			Stainless Steel 30 µm	BLIL032SS030	
1"½				BLIL040SS030	
2"				BLIL050SS030	
2"½				BLIL065SS030	
3"				BLIL080SS030	
4" short				BLIL10SSS030	
4"				BLIL100SS030	
1"¼				Stainless Steel 60 µm	BLIL032SS060
1"½					BLIL040SS060
2"			BLIL050SS060		
2"½			BLIL065SS060		
3"			BLIL080SS060		
4" short			BLIL10SSS060		
4"			BLIL100SS060		

description	size blower	model	material	code
-------------	-------------	-------	----------	------

Cartridge Filter	1"¼		paper 5-7 µm	BLCF032PA007
	1"½			BLCF040PA007
	2"			BLCF050PA007
	2"½			BLCF065PA007
	3"			BLCF080PA007
	4"			BLCF100PA007

description	size blower	model	material	code
-------------	-------------	-------	----------	------

Cartridge Filter Installation Kit	1"¼	NIPPLE 90 mm	PVC	BLKC032PN
	1"½			BLKC040PN
	2"			BLKC050PN
	2"½			BLKC065PN
	4"			BLKC100PN
	1"¼	SOCKET 150 mm		BLKC032PS
	1"½			BLKC040PS
	2"			BLKC050PS
	2"½			BLKC065PS
	4"			BLKC100PS

description	size blower	model	material	code
-------------	-------------	-------	----------	------

Spare Part Filters	1"¼	Cartridge Filter	paper 5-7 µm	BLSPCF032PA007
	1"½			BLSPCF040PA007
	2"			BLSPCF050PA007
	2"½			BLSPCF065PA007
	3"			BLSPCF080PA007
	4"			BLSPCF100PA007
	1"¼	In-Line Filter		BLSPIL032PA007

1"½				BLSPIL040PA007
2"				BLSPIL050PA007
2"½				BLSPIL065PA007
3"				BLSPIL080PA007
4"				BLSPIL10SPA007
short				BLSPIL100PA007
4"			paper 5-7 µm	
1"¼				BLSPIL032PO025
1"½				BLSPIL040PO025
2"				BLSPIL050PO025
2"½				BLSPIL065PO025
3"				BLSPIL080PO025
4"				BLSPIL10SPO025
short				BLSPIL100PO025
4"			Polyester 25 µm	
1"¼				BLSPIL032SS030
1"½				BLSPIL040SS030
2"				BLSPIL050SS030
2"½				BLSPIL065SS030
3"				BLSPIL080SS030
4"				BLSPIL10SSS030
short				BLSPIL100SS030
4"			Stainless Steel 30 µm	
1"¼				BLSPIL032SS060
1"½				BLSPIL040SS060
2"				BLSPIL050SS060
2"½				BLSPIL065SS060
3"				BLSPIL080SS060
4"				BLSPIL10SSS060
short				BLSPIL100SS060
4"			Stainless Steel 60 µm	

description	size blower	model	material	code
Final Silencer	1"¼	Internal Mesh	Zinc Plated	BLFS032ZPR
	1"½			BLFS040ZPR
	2"			BLFS050ZPR
	2"½			BLFS065ZPR
	3"			BLFS080ZPR
	4"			BLFS100ZPR
In-Line Silencer	1"¼		Zinc Plated	BLIS032
	1"½			BLIS040
	2"			BLIS050
	2"½			BLIS065
	3"			BLIS080
	4"			BLIS100
description	size blower	model	material	code
Indoor Filter	1"¼			BLIF032ZP100
	1"½			BLIF040ZP100

	2"		Zinc Plated 100µm	BLIF050ZP100
	2"½			BLIF065ZP100
description	size	model	material	code
Gauge	Ø63	Pressure		BLMN06306
		Vacuum		BLVG06306
description	size	model	material	code
Kit Sleeve + Hose 1 mt	1"¼			BLSH032
	1"½			BLSH040
	2"			BLSH050
	2"½			BLSH065
	4"			BLSH100
description	size	model	material	code
Check Valve	1"¼		Brass	BLCV032BR
	1"½			BLCV040BR
	2"			BLCV050BR
	2"½			BLCV065BR
	4"			BLCV100BR
description	size	model	material	code
Anti-vibration pins	6 mm			BLAV06
	8 mm			BLAV08
	10 mm			BLAV10
	12 mm			BLAV12
description	size	model	material	code
Filter Valve	2" F			BLFV05F
	3" F			BLFV08F
	4" F			BLFV10F
description	size	model	material	code
Kit Accessory Long	2"	2" M -2" F		BLAL05005F
	2"½			BLAL06505F
	4"			BLAL10010F
description	size	model	material	code
Reverse Flow Valve		5w - 2p		BLRV52
		5w - 3p		BLRV53
description	size	for Series	material	code
Additional Silencer	1"	BL010	Aluminum	BLAS02501AL
	1"¼	BL020 / 030 / 300		BLAS03202AL
	1"½	BL040 / 420		BLAS04004AL
	2"	BL050 / 520		BLAS05005AL

		BL060 / 063 / 620		BLAS05007AL
	2"½	BL070 / 073 / 820 / 920		BLAS06508AL
	4"	BL090 / 093 / 920		BLAS10009AL
description	size	for Series	material	code
Impeller		BL010		BLIM101
		BL020 / 320		BLIM201
		BL030		BLIM301
		BL040 / 420		BLIM401
		BL050 / 520		BLIM501
		BL060 / 063 620		BLIM601
		BL070 / 073 / 820 / 920		BLIM701
		BL090 / 093 / 920		BLIM901