

Seko – Surface Cleaning



Trade Flow s.r.o.

Oficiální distributor Seko

+420 731 806 252

info@tradeflow.cz

www.tradeflow.cz

www.e-flow.cz

PROTWIN

Spray 1 or 2 chemicals and rinse

- Venturi system no pieces in movement
- Working conditions up to 50° C - 1 to 6 bar
- Single dial function selector

System is delivered with:

- Shock proof gun ready for foamwand
- High quality food grade hose
- Installation kit
- S/St connection kit length 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres
- Hose Rack incorporated

Description	Code
Spray Gun & 15 mt hose - 1 Chemical	PTW1150APT000000
Spray Gun & 15 mt hose - 2 Chemicals	PTW2150APT000000
Spray Gun & 20 mt hose - 1 Chemical	PTW1200APT000000
Spray Gun & 20 mt hose - 2 Chemicals	PTW2200APT000000

PROTWIN WITH BA

Spray 1 or 2 chemicals and rinse

- Backflow Protection certified:
ACSE, DVGW, Kiwa, Belgacua, SVGW
- Venturi system no pieces in movement
- Working conditions up to 50° C - 1 to 6 bar
- Single dial function selector

System is delivered with:

- Shock proof gun ready for foamwand
- High quality food grade hose
- Installation kit
- S/St connection kit length 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres



- Hose Rack incorporated

Description	Code
Spray Gun & 15 mt hose - BA - 1 Chem.	PTW115HAPT000000
Spray Gun & 15 mt hose - BA - 2 Chem.	PTW215HAPT000000
Spray Gun & 20 mt hose - BA - 1 Chem.	PTW120HAPT000000
Spray Gun & 20mt hose - BA - 2 Chem.	PTW220HAPT000000

PROWASH

Spray 1 or 2 chemicals and rinse

- Venturi system no pieces in movement
- Working conditions up to 50° C - 2 to 6 bar
- System could be assembled with cart

System is delivered with:

- High quality food grade hose
- Shock proof gun
- Installation kit
- S/St connection kit lengh 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres
- Hose Rack incorporated

Description	Code
Spray Gun & 15 mt hose - 1 Chemical	CEP1150APS000000
Spray Gun & 15 mt hose - 2 Chemicals	CEP2150APS000000

PROWASH WITH BA

Spray 1 or 2 chemicals and rinse

- Backflow Protection certified:
ACSE, DVGW, Kiwa, Belgacua, SVGW
- Venturi system no pieces in movement



- Working conditions up to 50° C - 2 to 6 bar
- System could be assembled with cart

System is delivered with:

- High quality food grade hose
- Shock proof gun
- Installation kit
- S/St connection kit length 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres
- Hose Rack incorporated

Description	Code
Spray Gun & 15 mt hose - BA - 1 Chem.	CEP115HAPS000000
Spray Gun & 15 mt hose - BA - 2 Chem.	CEP215HAPS000000

PROKLIN

Spray 1 or 2 chemicals and rinse

- Essential design
- Venturi system no pieces in movement
- Working condition up to 50° C - 2 to 6 bar
- System could be assembled with cart

System is delivered with:

- High quality food grade hose
- Shock proof gun
- Installation kit
- S/St connection kit length 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres
- Hose Rack incorporated

Description	Code
Spray Gun & 15 mt hose - 1 Chemical	POS1150APS000000
Spray Gun & 15 mt hose - 2 Chemicals	POS2150APS000000

PROTWIN NO GUN NO HOSE

Spray 1 or 2 chemicals and rinse

System is delivered with:

- Installation kit
- Hose Rack
- No water inlet hose included
- No chemical racks included



BA seko
certified
integrated



Description

Code

No gun, no hose, no accessories - 1 Chemical	PTW100000000000
No gun, no hose, no accessories - 2 Chemicals	PTW200000000000
With BA - no gun, no hose, no accessories - 1 Chem.	PTW100H00000000
With BA - no gun, no hose, no accessories - 2 Chem.	PTW200H00000000

PROWASH NO GUN NO HOSE

Spray 1 or 2 chemicals and rinse

System is delivered with:

- Installation kit
- S/St connection kit length 1,5 m
1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres



BA seko
certified
integrated



Description

Code

No gun, no hose - 1 Chemical	CEP1000A0000000
No gun, no hose - 2 Chemicals	CEP2000A0000000
With BA - no gun, no hose - 1 Chemical	CEP100HA0000000
With BA - no gun, no hose - 2 Chemicals	CEP200HA0000000

PROKLIN NO GUN NO HOSE

Spray 1 or 2 chemicals and rinse

System is delivered with:

- Installation kit
- S/St connection kit length 1,5 m
- 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres

Description	Code
No gun, no hose - 1 Chemical	POS1000A00000000
No gun, no hose - 2 Chemicals	POS2000A00000000

ACCESSORIES

Description	Code
10mt Blue Hose with connection (70°C - 20 bar)	LB970115
15mt Blue Hose with connection (70°C - 20 bar)	LB970116/C
20mt Blue Hose with connection (70°C - 20 bar)	LB970117
25mt Blue Hose with connection (70°C - 20 bar)	LB970149/C
Automatic hose reel prof. S/St, 20 mt blue hose + 2M wit kit	EAG0200000I00000
Swivel bracket for Automatic hose reel professional	LB01SUP20
Automatic premium hose reel S/St, 15 mt blue hose	EAH0150000E00000
Automatic premium evo S/St+ABS, 10mt blue hose	EVO0100000B00000
Automatic premium evo S/St+ABS, 15mt blue hose	EVO0150000B00000
Automatic premium evo S/St+ABS, 20mt blue hose	EVO0200000B00000
Automatic premium evo S/St+ABS, without hose	EVO0000000B00000
Swivel bracket for Automatic premium & Evo	LB07SUPEP
10mt blue hose for Evo hose reel	LB060204
15mt blue hose for Evo hose reel	LB060203
20mt blue hose for Evo hose reel	LB060202
Low weight spray gun with inlet nipple, blue	LB11PISTOPLAV1E
Havy duty full St. steel spray gun, w. inlet nipple, white	LB11PISTOPLAV3E

Low we. spr. gun, for foamwand, w. inlet nipple, blue	LB11PISTOPLAV5E
High performance foamwand for LB11PISTOPLAV5E	9900107326
Stainless Steel LANCE 60 cm	LB060104
NR valve FPM - hose ø 6x9mm (1/4") with FPM seat (Yellow)	LB000112PVDF
NR valve Silicone - hose ø 6x9mm (1/4") with Silicone seat (Green)	LB000115PVDF
S/St Wire rack - 5LT Inner - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C
Water inlet s/st braided hose 1mt 3/4F-1/2F (fiber gasket incl.)	LB040226
Water inlet hose lenght 2mt 20bar 3/4F-3/4F (gasket included)	0000090083
Water inlet hose lenght 5mt 20bar 3/4F-3/4F (gasket included)	9900090126

PROTWIN FOAM KIT

Spray 1 chemical, rinse and foam with compressed air

- ProTwin dry foam add on, complete and pre-assembled
- Working condition of water up to 50° C 1,5 to 6 bar, air 2 to 6 bar
- Clinging Foam and powerfull jet

Description	Code
Protwin Foam Kit - 10mt hose, Gun & Lance	KITFOAPTW10M000C
Protwin Foam Kit - 15mt hose, Gun & Lance	KITFOAPTW15M000C
Protwin Foam Kit - 20mt hose, Gun & Lance	KITFOAPTW20M000C

JET NEAT

Dose 1 chemical with a rich wet foam and rinse

- Portable system
- Venturi system no pieces in movement
- Working condition up to 50° C - 2 to 6 bar
- Quick coupler inlet and outlet

Systems are delivered with:

- Metering tip
- Spraying wand

Description	Code
No hose - no support - 1,4 lt tank	LB11481JN
No hose - no support - 2,5 lt tank	LB11483JN

JET NEAT ACCESSORIES

Costumize your system according to your specific application

Description	Code
10mt blue hose with connection (70°c 20 bar)	LB970115
15mt blue hose with connection (70°c 20 bar)	LB970116/C
20mt blue hose with connection (70°c 20 bar)	LB970117
25mt blue hose with connection (70°c 20 bar)	LB970149/C
HACCP Wall Support for Jet Neat	LB99SM
S/St Wire rack - 5LT - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C

PROFOAM

Foam system

- Working condition of water up to 50° C 2 to 6 bar, air 2 to 6 bar

- System could be assembled with cart

System is delivered with:

- High quality food grade hose

- Fixed s/st foam lance

- Installation kit

- S/St connection kit length 1,5 m - 1/2" F Swivel - 3/4" F Swivel

- Wire racks 5 litres

- Hose Rack incorporated

Description

Code

Foam lance & 20 mt hose - 1 Chem

MOP1200ALS000000

PROFOAM - R

Foam and rinse system

- Working condition of water up to 50° C 2 to 6 bar, air 2 to 6 bar

- System could be assembled with cart

System is delivered with:

- High quality food grade hose

- Quick connection s/st foam lance + rinse nozzle

- Installation kit

- S/St connection kit length 1,5 m - 1/2" F Swivel - 3/4" F Swivel

- Wire racks 5 litres

- Hose Rack

Description

Code

Foam lance & 15 mt hose - 1 Chem + rinse

PFR1150ALM000000

Foam lance & 20 mt hose - 1 Chem + rinse

PFR1200ALM000000

PROMULTICLEAN

Foam, rinse and spray system

- Working condition of water up to 50° C 2 to 6 bar, air 2 to 6 bar
- System could be assembled with cart

System is delivered with:

- High quality food grade hose
- Quick connection s/st foam lance + rinse nozzle
- Installation kit
- S/St connection kit lengh 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres
- Hose Rack

Description

Code

Foam lance & 10 mt hose - 2 Chem + rinse

MUP1100DLM000000

Foam lance & 20 mt hose - 2 Chem + rinse

MUP1200DLM000000

PROMULTICLEAN + BA

Foam, rinse and spray system

- Backflow Protection certified
ACSE, DVGW, Kiwa, Belgacua, SVGW
- Working condition of water
up to 50° C 2 to 6 bar, air 2 to 6 bar
- System could be assembled with cart

System is delivered with:

- High quality food grade hose
- Quick connection s/st foam lance + rinse nozzle
- Installation kit
- S/St connection kit lengh 1,5 m - 1/2" F Swivel - 3/4" F Swivel
- Wire racks 5 litres
- Hose Rack



Description

Code

Foam lance & 15 mt hose - 2 Chem + rinse - BA 2 Chem

MUP115HDLM000000

PROFOAM, PROFOAM - R, PROMULTICLEAN NO GUN NO HOSE

Foam/ rinse/ spray systems

System is delivered with:

-Installation kit

-Wire racks 5 litres

-S/St connection kit length

1,5 m - 1/2" F Swivel - 3/4" F Swivel



BA seko
certified
integrated



Description

Code

Profoam - no gun, no hose - 1 Chemical

MOP1000A00000000

Profoam-R - no gun, no hose - 1 Chemical

PFR1000A00000000

Promulticlean - no gun, no hose - 2 Chem.

MUP1000D00000000

Promulticlean with BA - no gun, no hose - 2 Chemical

MUP100HD00000000

FOAM SYSTEM ACCESSORIES

Customize your system according to your specific application

Description

Code

10mt foam blue hose with connection (70°C 20 bar)

LB020408

15mt foam blue hose with connection (70°C 20 bar)

LB020409

20mt foam blue hose with connection (70°C 20 bar)

LB020410

Rinsing blue nozzle ss quick coupler for Profoam-r / Promulticlean

LB07ALS3

Foam Lance S/St quick coupler

LB07ALS5

Inox activator with quick coupler

LB07ALS9

Inox activator with quick coupler shockproof

LB11BALRCP1B

NR valve FPM - hose ø 6x9mm (1/4") with FPM seat (Yellow)

LB000112PVDF

NR valve EPDM - hose ø 6x9mm (1/4") with EPDM seat (Black)

LB000115PVDF

FOAM CANNON SS

Mobile foam system

- Mobile system 24 or 50 lt version available
- Working condition 8 bar air maximum pressure
- Spray system when not connected to the compressed air
- Air pressure regulation included

System is delivered with:

- S/St lance
- 10mt blue hose
- White wheel

Description

Code

Stainless Steel foam cannon - 24 lt

LB04CAMI24

Stainless Steel foam cannon - 50 lt

LB04CAMI50

PROKART

Dry foam portable cart

- Different size and seal available to fit each needs
- Non pressurized tank
- Works between 2,7 bar and 5,5 bar
- 1 product premixed
- Air driven pump

Description

Code



WaterMark

ProKart 38lt - 19LPM Santoprene pump - EPDM seal	PFC10C1B10000
ProKart 38lt - 19LPM FPM pump - EPDM seal	PFC10B1B10000
ProKart 95lt - 19LPM Santoprene pump - EPDM seal	PFC25C1B10000
ProKart 95lt - 19LPM FPM pump - EPDM seal	PFC25B1B10000

PROMAX FLEX GAP

Dispense 1 or 4 product dosing

- 4lt/min: to fill bottle
- 14 - 30lt/min: to fill bucket, tank, scrubber machine...
- Water working condition from 1 to 9bar 70° C
- Backflow Protection certified: ATS

The system includes:

- Installation kit
- Pick up and delivery hoses

Description	Code
4 lt/min 1P button activation	PXB1F04S0000
14 lt/min 1P button activation	PXB1F16S0000
30 lt/min 1P button activation	PXB1F30S0000
4 lt/min 1P slide activation	PXS1F04S0000
4 lt/min 4P button activation	PXB4F04S0000
14 lt/min 4P button activation	PXB4F16S0000
30 lt/min 4P button activation	PXB4F30S0000
4 lt/min 4P slide activation	PXS4F04S0000

PROMAX AIR GAP

Dispense 1 or 4 product dosing

- 4lt/min: to fill bottle
- 16lt/min: to fill bucket, tank, scrubber machine...

- Water working condition from 1 to 9bar 70° C
- Backflow Protection certified: ATS

The system includes:

- Installation kit
- Pick up and delivery hoses

Description	Code
4 lt/min 1P button activation	PXB1A04S0000
16 lt/min 1P button activation	PXB1A16S0000
4 lt/min 1P slide activation	PXS1A04S0000
4 lt/min 4P button activation	PXB4A04S0000
16 lt/min 4P button activation	PXB4A16S0000

SEKUREMAX

All purpose chemical cabinet

- Foldable structure to reduce packaging bulk
- Metal revolving or plastic key available
- 5lt version or 2 x 2lt or 3 x 1lt and 1gallon
- 2.5lt version or 2lt or 1lt and 0.5gall or 0.25gall
- Modular with other cabinet and dosing systems
- Easily customizable thanks to the underlying structure
- Made in ABS, flexible and strong

The system includes:

- Installation kit

Description	Code
SekureMax 5lt -1Gall Plastic Lock	9900107962
SekureMax 5lt -1Gall Metal Lock	9900107961
SekureMax 3lt -0.8Gall Plastic Lock	9900108601
SekureMax 3lt -0.8Gall Metal Lock	9900108602
SekureMax 2,5lt -0,5Gall Plastic Lock	9900108055

SekureMax 2,5lt -,5Gall Metal Lock

9900108054

PROMAX ACCESSORIES

Customize your system according to your specific application

Description	Code
Drip Tray 2pcs per box	9900107268
Viscous products suction kit	9900107353
5pcs Soft multi step fitting OD 6-8-11mm to hose ID 8-10-14mm	9900106988
Clear PVC hose 10x14mm 2mt	9900090352
Black foot filter - PP body EPDM check valve	9900069093
ULTRALEAN METERING TIPS (4 PCS)	RIC0152043
Water inlet s/st braided hose 1mt 3/4F-1/2F (fiber gasket incl.)	LB040226
Water inlet hose lenght 2mt 20bar 3/4F-3/4F (gasket included)	0000090083
Water inlet hose lenght 5mt 20bar 3/4F-3/4F (gasket included)	9900090126
S/St Wire rack - 5LT - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C

PROFAUCET

Mix 1 chemical (manual warewashing)

- 2 compartment sink fill system
- Momentary manual button activation

- System includes installation kit and pick up tubing

Description	Code
Profaucet 20l/min	9900150373

PROSINK-R

Mix 1 or 2 chemicals (manual warewashing)

- 4 lit/min : To fill sprayers, bottles etc. ...
- 14 lit/min: To fill scrubber machines, buckets, tanks...
- Working condition up to 60° C - 1,5 to 6 bar
- Backflow Protection certified: ASSE1055, UPC

The system includes:

- Installation kit
- Pick up and delivery hoses

Description	Code
4 lit/min - FGAP 1 Chemical	PSK1F04UN000
16 lit/min - FGAP 1 Chemical	PSK1F16UN000
4 lit/min - FGAP 2 Chemicals	PSK2F04UN000
16 lit/min - FGAP 2 Chemicals	PSK2F16UN000

PROSINK ACCESSORIES

Description	Code
Viscous products suction kit	9900107353
5pcs Soft multi step fitting OD 6-8-11mm to hose ID 8-10-14mm	9900106988
Clear PVC hose 10x14mm 2mt	9900090352
Black chemical strainer with check valve PP body EPDM check valve	9900069093
Nipple suitable for Prosink and Prospray	9900106864

Manifoild for prosink with two separated inlets left - right,
replace it to separate channel left and right for hot & cold water

9900106739

S/St Wire rack - 5LT - W=190 H=140 D=145 mm

LB970114

S/St Wire rack - 10LT - W=235 H=200 D=175 mm

LB000114B

S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm

LB000114C

Drip tray for lever unit to avoid chemical product spillage

9900106438

SEKUREDose

All purpose dispenser with cabinet

- Turn-key installation
- Metal revolving key
- 2,5 or 5lt container
- 22-17-13-8-3 cc per stroke
- Ergonomic push button
- No water needed

The system includes:

- Installation kit
- Pick up and delivery hoses

Description

Code

SekureDose Bottle filling (Aflas seal) 5lt

HP30AKB0000

SekureDose Bucket filling (Aflas seal) 5lt

HP30AKM0000

SekureDose Sink filling (Aflas seal) 5lt

HP30AKS0000

SekureDose Bottle filling (Aflas seal) 2,5lt

HP30ASB0000

SekureDose Bucket filling (Aflas seal) 2,5lt

HP30ASM0000

SekureDose Sink filling (Aflas seal) 2,5lt

HP30ASS0000

SekureDose Bottle filling (EPDM seal) 5lt

HP30EKB0000

SekureDose Bucket filling (EPDM seal) 5lt

HP30EKM0000

SekureDose Sink filling (EPDM seal) 5lt	HP30EKS0000
SekureDose Bottle filling (EPDM seal) 2,5lt	HP30ESB0000
SekureDose Bucket filling (EPDM seal) 2,5lt	HP30ESM0000
SekureDose Sink filling (EPDM seal) 2,5lt	HP30ESS0000

PRODOSE-R

Dosing 1 chemical without water or power supply

- 30-25-20-15-10-5 cc per stroke

Systems are delivered with:

- Spout
- Mounting Bracket
- Delivery & Suction Hoses 2,5mt PVC
- Modular tube stiffener

Description	Code
Manual Dosing Pump EPDM seal	HP30EN000000
Manual Dosing Pump Silicone seal	HP30SN000000
Manual Dosing Pump FPM seal	HP30FN000000

PRODOSE-R ACCESSORIES

Customize your system according to your specific application

Description	Code
Green cap kit	9900107737
Red cap kit	9900107738
Yellow cap kit	9900107739

PROPULV

Detergent spray system

- Venturi system no pieces in movement
- Working condition of water up to 50° C, 2 to 6 bar
- Water consumption 4,2 lt/min
- System could be assembled with cart

System is delivered with:

- Light black hose
- S/St spraying lance
- Installation kit with quick connector
- Water connection kit 3/4" length 2 mt
- Hose Rack incorporated

Description	Code
No gun & lance, no hose	PUL1000000000000
S/St lance 60cm - 15mt black hose	PUL11500L600000
S/St lance 60cm - 25mt black hose	PUL12500L600000
S/St telescopic lance 1-2mt - 15mt black hose	PUL11500LT00000
S/St telescopic lance 1-2mt - 25mt black hose	PUL12500LT00000

PRONET

Rinse aid system

- Venturi system no pieces in movement
- Working condition of water up to 50° C, 2 to 6 bar
- Water consumption 7 lt/min
- System could be assembled with cart

System is delivered with:

- Light black hose
- PVC lance
- Installation kit with quick connector
- Water connection kit 3/4" length 2 mt
- Hose Rack incorporated

Description	Code
PVC lance 45 cm - 15 mt black hose	NET11500LN00000
PVC lance 45 cm - 25 mt black hose	NET12500LN00000

PRODUAL

Spray detergent and rinse aid system

- Venturi system no pieces in movement
- Working condition of water up to 50° C, 2 to 6 bar
- Water consumption 4,2 lt/min (Det) & 7lt/min (Rinse)
- System could be assembled with cart

System is delivered with:

- Light black hose
- S/St spraying lance
- PVC lance
- Installation kit with quick connector
- Water connection kit 3/4" length 2 mt
- Hose Rack incorporated



Description	Code
PVC 45cm & S/St lance 60cm - 15mt hose	COM21500L600000
PVC 45cm & S/St lance 60cm - 25mt hose	COM22500L600000
PVC 45cm & S/St telescopic 1-2mt - 15mt hose	COM21500LT00000
PVC 45cm & S/St telescopic 1-2mt - 25mt hose	COM22500LT00000

PROACID

Strong acid and alkaline chemicals spray system

- PVDF Venturi for high alkaline or acid products
- Working condition of water up to 50° C, 2 to 6 bar
- System could be assembled with cart

System is delivered with:

- Gray hose high chemical compatibility
- PVC spraying lance
- Installation kit with quick connector
- Water connection kit 3/4" length 2 mt
- Hose Rack incorporated

Description	Code
PVC lance 1,20 metres - 15mt hose	PUA11500LG00000
PVC lance 1,20 metres - 25mt hose	PUA12500LG00000

PROFILL PREMIUM

Refilling and rinse system

- Essential design
- Venturi system no pieces in movement
- Working condition up to 50° C - 2 to 6 bar
- White gun high flow for fast refilling
- System could be assembled with cart



System is delivered with:

- Light black hose
- High flow gun
- Installation kit with quick connector
- Water connection kit 3/4" length 2 mt
- Hose Rack incorporated

Description	Code
High flow gun - 5mt hose	PPS10500PP000000

PROFILL

Refilling and rinse system

- Evolved design

- Venturi system no pieces in movement
- Working condition up to 50° C - 2 to 6 bar
- White gun high flow for fast refilling
- System could be assembled with cart

System is delivered with:

- Light black hose
- High flow gun
- Installation kit with quick connector
- Water connection kit 3/4" length 2 mt
- Hose Rack incorporated

Description	Code
High flow gun - 5mt hose - with rinse	PRR10500PP000000

SERIES D07- D25- D3

Proportional dosage of 1 product and rinsing

- Generates proportional dosage calculated on the water flow rate.
- No power supply or compressed air needed
- Built in by-pass for rinsing.
- Built in air bleeder.
- Working condition up to 50° C - 0.3 to 6 bar
- Suitable for application with Alkaline products (Aflas oring ...AF)

Description	Code
700lt/h - Dosage 0,8 to 5,5% - Aflas seal D07	LBD07RE5
700lt/h - Dosage 0,15 to 1,25% - Aflas seal D07	LBD07RE125
2500lt/h - Dosage 3 to 10% - Aflas seal D025	LBD25RE10BPAF
2500lt/h - Dosage 1 to 5% - Aflas seal D025	LBD25RE5BPAF
2500lt/h - Dosage 0,2 to 2% - Aflas seal D025	LBD25RE2BPAF
3000lt/h - Dosage 1 to 10% - Aflas seal D3	LBD3RE10BPAF
3000lt/h - Dosage 1 to 5% - Aflas seal D3	LBD3RE5BPAF

3000lt/h - Dosage 0,2 to 2% - Aflas seal D3

LBD3RE2BPAF

ACCESSORIES AND SPARE PARTS PROWASH - PROKLYN

Description	Code
Water inlet s/st braided hose 1mt 3/4F-1/2F	LB970118
Water inlet s/st braided hose 1,5mt 3/4F-1/2F	SKFFL020200FF025
PVC front cover for ProWash 1 Product	LB040400
PVC front cover for ProWash 2 Products	LB040401
PVC back plate for ProWash 1 or 2 Products	LB060102
PVC back plate for ProKlyn 1 or 2 Products	LB030131
Hydraulic sub assembly only for ProWash without BA device	LB970113
Hydraulic sub assembly only for ProKlyn without BA device	LB970113P
BA SEKO M 1/2 x M 1/2	LB08195316S
BA SEKO with adapt. to replace BA Honeywell M3/4 x M3/4	SKFKITRACCORDBA
1/4 ball valve with S/St braided hose for ProWash with BA device	LB020113BA
Cover handle screws 4pcs	LB020111
Plastic handle	LBGRA000074
Venturi 1 product	LB020101
Venturi 1 product kit with : - 1 EPDM Valve- 1 bag of 14 tips- 3 screws	LB970101
Venturi 2 product kit with : - 2 EPDM Valve- 2 bag of 14 tips- 3 screws	LB970102
Chemical selector with yellow check valve (FPM)	LB06SELECTVI
Chemical selector with black check valve (EPDM)	LB04SELECT
Green plastic injector pack of 5 Pieces 8lit/min	LB060105C

NR valve FPM - hose ø 6x9mm (1/4") with FPM seat (Yellow)	LB000112PVDF
NR valve EPDM - hose ø 6x9mm (1/4") with EPDM seat (Black)	LB000113PVDF
NR valve Silicone - hose ø 6x9mm (1/4") with Silicone seat (Green)	LB000115PVDF
STANDARD METERING TIPS (15PCS)	RIC0152044
ULTRALEAN METERING TIPS (4 PCS)	RIC0152043
Suction line equipped with foot filter/weight L = 1,6 metres	LB970123
Complete installation kit for Prowash and Proklyn 2 products	LB10POCH002
Foot filter with weight for tube 1/4" - 1/2"	9900069144
10mt Blue Hose with connection (70°C - 20 bar)	LB970115
15mt Blue Hose with connection (70°C - 20 bar)	LB970116/C
20mt Blue Hose with connection (70°C - 20 bar)	LB970117
25mt Blue Hose with connection (70°C - 20 bar)	LB970149/C
Nipple for quick coupler ø ½ M for blue gun	LB970122
Nito quick coupler for hose ø 12 for discharge cleaning hose	LB970121
Stainless steel hose rack for hose	LB000128
Discharge hose extension connection for 2 hoses	LB020104
S/St Wire rack - 5LT - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C
Lockable cabinet for 5 litres bottle	LB014800
LOW WEIGHT SPRAY GUN WITH INLET NIPPLE, BLUE	LB11PISTOPLAV1E
Havy duty full Stainless steel spray gun with inlet nipple	LB11PISTOPLAV3E
Low weight spray gun with fast outlet connector and inlet nipple	LB11PISTOPLAV5E

ACCESSORIES & S. PARTS PROWASH - PROKLYN - PROTWIN

Description	Code
Blue gun shock and heat protected equipped with nipple	LB970119E/C
Blue Spray Gun - with protection for foam lance - with foam lance - with inlet nipple	LB070119EMLP/C
Foam lance with brass quick coupler	LB040124
EPDM rubber top cover for blue gun	LB020119F
EPDM rubber handgripp for blue gun	LB020119P
Spindle for gun LB11PISTOPLAV1	RIC0152095
Stainless steel lance + spray gun L = 60 cm	LB060104
High flow nozzle flowrate 15,3 litres/minute	LB020107
Thermostatic mixing valve 30 a 48° equipped with connections quick assembly on the Prowash and Proklyn	LB14118053
Pressure reducer ¾ M x ¾ FT- preset at 3 bar without manometer model reudifix	LB060111
Pressure reducer ¾ M x ¾ FT- set at 3 bar With reudifix manometer	LB970126
Quick tap 2 way faucet outlet M ¾ with integrated ball valves inlet swivel F ¾	LB09V2V469
Quick tap 3 way faucet outlet M ¾ with integrated ball valves inlet swivel F ¾	LB09V3V468

ACCESSORIES AND SPARE PARTS JETNEAT

Description	Code
JETNEAT gun	LB11ALP
JETNEAT TANK 1,4LT	LB11R14

JETNEAT TANK 2,5LT	LB11R27
Body - venturi JETNEAT	LB11CSM
Rinse lance JETNEAT	LB11LRSM
STANDARD METERING TIPS (15PCS)	RIC0152044
10mt Blue Hose with connection (70°C - 20 bar)	LB970115
15mt Blue Hose with connection (70°C - 20 bar)	LB970116/C
20mt Blue Hose with connection (70°C - 20 bar)	LB970117
25mt Blue Hose with connection (70°C - 20 bar)	LB970149/C
HACCP wall support for JetNeat	LB99SM
S/St Wire rack - 5LT - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C

ACCESSORIES & S. PARTS PROTWIN

Description	Code
Standard venturi black	9900106845
Spray venturi yellow	9900106846
Foam venturi green	9900106847
Foot filter with weight for tube 1/4" - 1/2"	9900069144
3/8 gas cup	000015405901
ProTwin main selector mechanism	9900220150
Complete Venturi case with NR valve, venturi e cap for ProTwin	RIC0152301
ProTwin complete main selector	RIC0152426

ACCESSORI E RICAMBI PROTWIN FOAM KIT

Description	Code
-------------	------

Foam insert for Prottwin Foam Kit	9900108158
3/4"Gas female to bayonet connection for ProTwin foam kit	9900108212
Insertion air tube nut + O-ring	9900108213
Air connection with NR valve	9900108214
Complete air regulator for ProTwin foam kit	9900108215
Gauge	9900108216
PVC lance equipped with straight nozzle for ProTwin Foam kit	LAN450PVCJDR000
Spray gun for ProTwin Foam kit	POIPUL25MM000000

SPARE PARTS PROFOAM - PMULTICLEAN - PROFOAM-R

Description	Code
Water inlet s/st braided hose 1,5mt 3/4F-1/2F	SKFFL020200FF025
PVC front cover for PROFOAM	LB020401
PVC front cover for PROMULTICLEAN or/and with back flow preventor BA	LB070401BA
Ball valve anti-pollution with S/St braided hose	LB020406
BA SEKO M 1/2 x M 1/2	LB08195316S
BA SEKO with adapt. to replace BA Honeywell M3/4 x M3/4	SKFKITRACCORDBA
Connection S/St braided hose for PROFOAM with back flow preventer BA	LB070114
Venturi for PROFOAM / PROMULTICLEAN with check valve included	LB020402
VENTURI for PROFOAM-R with check valve included	LB090402
NR valve FPM - hose ø 6x9mm (1/4") with FPM seat (Yellow)	LB000112PVDF
NR valve EPDM - hose ø 6x9mm (1/4") with EPDM seat (Black)	LB000113PVDF
Suction line equipped with foot filter/weight L = 1,6 metres	LB970123

Stainless steel ¼ turn ball valve for PROFOAM	LB07VCM
Stainless steel complete lance for PROFOAM	LB020411
Rinsing blue nozzle SS quick coupler for PROFOAM-R / PROMULTICLEAN	LB07ALS3
Foam lance SS quick coupler for PROFOAM-R / PROMULTICLEAN	LB07ALS5
Stainless steel air mixing part	LB060601
Three way valve for PROFOAM-R	LB09V3VPRO
Inox activator with quick coupler for PROFOAM-R / PROMULTICLEAN	LB07ALS9
Inox activator with quick coupler shockproof for PROFOAM-R / PROMULTICLEAN	LB11BALRCP1B
S/St Wire rack - 5LT - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C
Lockable cabinet for 5 litres bottle	LB014800
Part to secure the discharge hose	LB020419
Rinse KIT for PROFOAM UNIT (T connection + Ball Valve)	LB04KITRINCAGE
Blue gun shock and heat protected equipped with nipple	LB970119E/C
Foot filter with weight for tube 1/4" - 1/2"	9900069144
STANDARD METERING TIPS (15PCS)	RIC0152044
Air pressure regulator with fitting	LB020403
Air pressure regulator without connection	LB020404
¼ Ball valve for air supply ¼ M x F	LB020407
HYDRAULIC MOUNTING CLIP	LB020500
Check valve for compressed air	LB020416
Extension M x F ¼ "	LB020415
Hose barb Ø ¼ X 10 for hose inner Ø 10	LB020417
Quick coupler for air connection Ø ¼ X 6 for air hose inner Ø 6	LB020418
10mt Blue Foam Hose with connection (70°C - 20 bar)	LB020408

15mt Blue Foam Hose with connection (70°C - 20 bar)	LB020409
20mt Blue Foam Hose with connection (70°C - 20 bar)	LB020410
Air Injector	LB060602
Stainless steel hose rack for hose	LB000128
PVC Hose Ø 10X15 10MT	LB05PVC/10
Lance for foam cannon	LB080145CAM
Foam cannon pressure gauge	LB020405
ProKart 9mt blue hose with connections	RIC0152865
ProKart Santoprene pump	RIC0152859
ProKart Viton pump	RIC0152858

ACCESSORIES AND SPARE PARTS PROMAX

Description	Code
Installation kit 1Product 1P kit for Promax (no hoses incl.)	9900107212
Installation kit 4Product 4P kit for Promax (no hoses incl.)	9900107213
"S" discharge hose for bottle (1GPM - 4lt/min)	9900107210
6,5ft (2mt) discharge hose for bucket (4 / 8GPM - 16 / 30lt/min)	9900107211
Clear PVC hose 6x9mm 2mt	9900090048
Ceramic weight	0000068042
Yellow foot filter - PP body FPM check valve	9900069092
Black foot filter - PP body EPDM check valve	9900069093
5pcs In-line EPDM check valve 1/4" (6x9mm) tube	9900108082
5pcs In-line FPM check valve 1/4" (6x9mm) tube	9900108083
5pcs " Y " connection 1/4" (6x9mm)	9900108087
STANDARD METERING TIPS (15PCS)	RIC0152044
ULTRALEAN METERING TIPS (4 PCS)	RIC0152043

Water inlet s/st braided hose 1mt 3/4F-1/2F (fiber gasket incl.)	LB040226
Water inlet hose lenght 2mt 20bar 3/4F-3/4F (gasket included)	0000090083
Water inlet hose lenght 5mt 20bar 3/4F-3/4F (gasket included)	9900090126
Drip Tray 2pcs per box	9900107268
Case Kit front + rear	9900107192
Panel Kit 1Prod. Button Clear cover + Standard Underlayer	9900107193
Panel Kit 1Prod. Slide Clear cover + Standard Underlayer	9900107194
Panel Kit 4Prod. Button Clear cover + Standard Underlayer	9900107195
Panel Kit 4Prod. Slide Clear cover + Standard Underlayer	9900107196
Mounting bracket	9900107197
Button kit Button + spring + magnate	9900107198
Slide kit Slide parts + brackets + magnate	9900107199
Flex gap valve complete backflow preventer spare parts	9900107205
Gray venturi - 1GPM (4lt/min)	9900108307
Yellow venturi - 4GPM (16lt/min)	9900108308
Blue venturi - 8GPM (30lt/min)	9900108309
Complete Air gap with venturi 4l/min	9900107206
Complete Air gap with venturi 16l/min	9900107207
Kit 10pcs EPDM venturi O-ring	RIC0152321
Kit 10pcs FPM venturi O-ring	RIC0152320
1GPM (4lt/min) 10pcs air gap nozzle kit	9900107208
4GPM (16lt/min) 10pcs air gap nozzle kit	9900107209

Selector kit 4Product Pre-assembled selector + internal tubings + box fittings	9900107200
Inlet fitting 1p Venturi fitting + Internal tubing + box fitting	9900107201
Internal suction tubing kit for solvent	RIC0152016
10pcs suction fitting tip seat kit	9900108736
Activation valve kit Membrane + piston + spring + case	9900107224
Water inlet fitting 3/4GHT fitting + Adapter 3/4GHT 3/4Gas + Screen Washer	9900107214
Top Plug	9900107937
Brown flowrate stabilizer & filter 3lt	9900107935
Red flowrate stabilizer & filter 12lt	9900107936
Complete main body with activation valve, clips and top plug	9900107254
Wall spout + hose for ProMax C	9900108021
3pcs top filter kit	9900107223

ACCESSORIES AND SPARE PARTS PROSINK

Description	Code
Nipple between ball valve and venturi	9900107804
4GPM F-gap group w/o outlet tube	9900107801
1GPM F-gap group w/o outlet tube	9900107800
STANDARD METERING TIPS (15PCS)	RIC0152044
ULTRALEAN METERING TIPS (4 PCS)	RIC0152043
Clear PVC hose 6x9mm 2mt	9900090048
Yellow chemical strainer with check valve, PP body, FPM check valve	9900069092
Black chemical strainer with check valve, PP body, EPDM check valve	9900069093
Elbow (10pcs)	9900106504
Prosink maintenance O-rings kit (contain all oring for Psk 1P)	9900106843
Nipple suitable for Prosink and Prospray	9900106864

Ball valve quick connection suitable for Prosink	9900106694
Foam Insert	9900107270

ACCESSORIES AND SPARE PARTS PRODOSE

Description	Code
5pcs In-line EPDM check valve 13/32" (10x14mm) tube	9900108085
5pcs In-line FPM check valve 13/32" (10x14mm) tube	9900108084
Maintenance kit for EPDM check valve	9900107734
Maintenance kit for FPM check valve	9900107735
Maintenance kit for SILICONE check valve	9900107736
1pcs complete retrofit kit EPDM n.r.v.	9900107810
1pcs complete retrofit kit FPM n.r.v.	9900107809
1pcs complete retrofit kit Silicone n.r.v.	9900107811
Spout Kit	9900107733
Wall mounting bracket	000012007704
Green cap kit	9900107737
Red cap kit	9900107738
Yellow cap kit	9900107739
EPDM O-ring for plunger (10pcs)	9900106744
FPM O-ring for plunger (10pcs)	9900106745
SIL O-ring for plunger (10pcs)	9900106746
10pcs Y internal tube stiffener	9900107746
Vertical installation spout kit with no drip valve & no air insert	9900112009
S/St Wire rack - 5LT - W=190 H=140 D=145 mm	LB970114
S/St Wire rack - 10LT - W=235 H=200 D=175 mm	LB000114B
S/St Wire rack - 20-30LT - W=300 H=250 D=255 mm	LB000114C

ACCESSORIES AND SPARE SEKUREMAX & SEKUREDLOSE

Description	Code
Sink spout kit with Aflas NR valve	9900108115
Sink spout kit with EPDM NR valve	RIC0153052
Bottle spout kit 5lt version with Aflas NR valve	9900108116
Bottle spout kit 5lt version with EPDM NR valve	RIC0153053
Bottle spout kit 2,5lt version with Aflas NR valve	9900112008
Bottle spout kit 2,5lt version with EPDM NR valve	RIC0153054
Bucket kit with: tube,Aflas NR valve,spout,screws,bracket spacers	RIC0152367
Bucket kit with: tube,EPDM NR valve,spout,screws,bracket spacers	RIC0153055
Bucket kit spare with: tube,Aflas NR valve,spout only	RIC0153056
Bucket kit spare with: tube,EPDM NR valve,spout only	RIC0152463
10pcs SekureMax slide end connection	9900108117
Barrel lock + keys	9900108118
2,5 - 5lt SekureMax/Dose - 1PCS	9900108119
4PCS key for plastic clousure	9900108119

ACCESSORIES AND SPARE PROFAUCET

Description	Code
5 pcs Button + spring and O-ring	RIC0151552

ACCESSORIES AND SPARE PARTS PROPULV - PRONET

Description	Code
Hydraulic mounting clip	LB020500
Pack of 5 plugs anti-freeze safety for ball valve	LB020501
Adapter + EPDM check valve	LB100111CA
STANDARD METERING TIPS (15PCS)	RIC0152044
SUCTION LINE EQUIPPED WITH FOOT FILTER/WEIGHT L = 1,6 METRES	LB970123
Foot filter with weight for tube 1/4" - 1/2"	9900069144

Black hose equipped with inlet and outlet connection (price per roll) L = 15 metres	LB970143
Black hose equipped with inlet and outlet connection (price per roll) L = 25 metres	LB970136
Discharge hose extension connexion KIT for interconnection of 2 equipped hoses	LB020504
Nipple for quick coupler Ø ½ M for blue gun	LB970122
Inlet water connection kit to connect automotive systems to the main water supply	LB07KITRCAE
Outlet discharge connection kit for discharge hose	LB07KITRCTL
Stainless steel lance + spray gun L = 60 cm for PROPULV	LB020145
stainless steel lance + spray gun L = 90 cm for PROPULV	LB020146
Stainless steel lance L = 90 cm for PROPULV	LB970146
Stainless steel lance L = 1 to 2 metres for PROPULV	LB970134
Spray gun with plastic lance L= 45 cm - with Inlet nipple For PRONET	LB020147
Spray gun with inlet nipple	LB970133
Red no-scratch protection nozzle support	LB020505
Nozzle flat spray 60° flow-rate 9,8l/min	LB070135

ACCESSORIES AND SPARE PARTS PROACID

Description	Code
Plastic lance L = 120 cm for PROACID	LB070146
Hose with inlet and outlet connection L = 15 mt for PROACID	LB070143
PVDF Eductor	LB070132ACID

ACCESSORIES AND SPARE PARTS NEW PROPULV - PRONET

Description	Code
Water supply kit 2,5mt with Ø ¾ nipple + black hose quick couplers	LB98KITPULV
BA SEKO M ½ x M ½	LB08195316S

BA SEKO with adapt. to replace BA Honeywell M ³ / ₄ x M ³ / ₄	SKFKITRACCORDBA
Chemical selector with yellow check valve (FPM)	LB06SELECTVI
Yellow plastic injector pack of 5 pieces 4,2lit/min	LB060105D
Green plastic injector pack of 5 pieces 8lit/min	LB060105C
NR valve FPM - hose ø 6x9mm (1/4") with FPM seat (Yellow)	LB000112PVDF
NR valve EPDM - hose ø 6x9mm (1/4") with EPDM seat (Black)	LB000113PVDF
NR valve Silicone - hose ø 6x9mm (1/4") with Silicone seat (Green)	LB000115PVDF
Hydraulic sub-assembly for Propulv with adapter for old version	LB090132PA
Hydraulic sub-assembly for Pronet with adapter for old version	LB100HNET
Complete kit venturi for Propulv	LB100135J

ACCESSORIES AND SPARE PARTS PROFILL

Description	Code
Blue venturi 5pcs 15lit/min kit	LB060105B
Complete kit venturi for Profill	LB100135B
White gun high flow	LB09PROFPBC
STANDARD METERING TIPS (15PCS)	RIC0152044
Suction line equipped with foot filter/weight L = 1,6 metres	LB970123
Foot filter with weight for tube 1/4" - 1/2"	9900069144
Black hose equipped with in/out connection (price/roll) L = 15MT	LB970143
Black hose equipped with in/out connection (price/roll) L = 25MT	LB970136
Black hose in roll (price per roll) L = 25 metres	LB070806
Extension connexion KIT for interconnection of 2 equipped hoses	LB020504
Nipple for quick coupler ø ½ M for blue gun	LB970122
Water supply connection kit for automotive systems	LB07KITRCAE
Outlet discharge connection kit for discharge hose	LB07KITRCTL
Discharge valve for refilling tower	LB020311TP

ACCESSORIES AND SPARE PARTS PROREEL

Description	Code
Repair spring kit + pawl for stainless steel proreel only	LB04ENRESKIT
Spring for pawl for stainless steel proreel only	LB04ENRES
Swivel bracket for 15 m stainless steel proreel only	LB01SUP15
Swivel bracket for automatic hose reel professional	LB01SUP20
Blue gun shock and heat protected equipped with nipple	LB970119E/C
Hose bumper for stainless steel proreel only	LB060201

ACCESSORIES AND SPARE PARTS MISCELLANEUS

Description	Code
Anti-pollution ball valve M $\frac{3}{4}$ x F $\frac{1}{2}$	LB09003030
Anti-pollution ball valve M $\frac{1}{2}$ x FT $\frac{3}{4}$	LB020902