



Trade Flow

Shurflo – RVM Accessories

Trade Flow s.r.o.

Oficiální distributor Seko

+420 731 806 252

info@tradeflow.cz

www.tradeflow.cz

www.e-flow.cz

City Water Entries

183-020-04 City water entry 50 psi - chrome - OEM
183-029-04 City water entry 50 psi - chrome - AFT
183-020-08 City water entry 50 psi - gel white - OEM
183-029-08 City water entry 50 psi - gel white - AFT
183-039-08 In-line city water entry 50 psi - white - AFT

183-020-14 City water entry 65 psi - chrome - OEM
183-029-14 City water entry 65 psi - chrome - AFT
183-020-18 City water entry 65 psi - gel white - OEM
183-029-18 City water entry 65 psi - gel white - AFT

Accumulator Tanks

182-102 Accumulator tank - nylon - 710 ml (24oz.) - precharged at 20 psi (1.4 bar) - OEM
182-202 Accumulator tank - nylon - 710 ml (24oz.) - precharged at 20 psi (1.4 bar) - AFT
182-100 Accumulator tank - nylon - 710 ml (24oz.) - precharged at 30 psi (2.1 bar) - OEM
182-200 Accumulator tank - nylon - 710 ml (24oz.) - precharged at 30 psi (2.1 bar) - AFT
3400-002 Accumulator tank - stainless steel - 7.6 ltr (2 gallons) - precharged at 20 psi (1.4 bar)

In-line Check Valves

340-000 In-line check valve - 100 psi - 6.8 bar - ½" barb - OEM
340-001 In-line check valve - 100 psi - 6.8 bar - ½" barb - AFT

Miscellaneous parts

7-071-25 25" Self-coiling $\frac{3}{8}$ " hose - white - OEM

7-137-25 25" Self-coiling $\frac{3}{8}$ " hose - blue - OEM

15-010 High pressure blaster nozzle - garden hose thread - OEM

94-010-00 High pressure blaster nozzle - garden hose thread - AFT

WATERguard Filtration

RV-210BRB-A

11" In-Line Filter 1/2" Barb Ports, Granular Activated Carbon (GAC), Filters up to 6000 Gallons at recommended flow rate 1GPM@60PSI, 5 Micron rating

RV-210GH-A

11" In-Line Filter 3/4" Garden Hose Ports, Granular Activated Carbon (GAC), Filters up to 6000 Gallons at recommended flow rate 1GPM@60PSI, 5 Micron rating

RV-210GH-KDF-A

11" In-Line Filter 3/4" Garden Hose Ports, Granular Activated Carbon (GAC) and KDF, Filters up to 11000

Gallons at recommended flow rate 1GPM@60PSI, 5 Micron rating

94-009-50

10" Universal In-Line Filter 1/4" NPT-F both ends, fittings included are 2 ea. 1/2" MPT, 2 ea. Quick Connects & 2 ea. Colder fittings. Granular Activated Carbon (GAC) and KDF; Filters up to 3900 Gallons at recommended flow rate 1GPM@60PSI, 5 Micron rating

Everpure Water Treatment Systems

EV925205 Complete Water System Kit 1/2" NPT (Female) - 1/4" Barb

EV959206 Full Timer Cartridge 1/2" NPT (Female) - 1/4" Barb

Swivel Straight Adapters

244-2906	Nylon ½" NPT (Female) - ¼" Barb
234-2916	Polypropylene ½" NPT (Female) - ⅜" Barb
244-2916	Nylon ½" NPT (Female) - ⅜" Barb
234-2926	Polypropylene ½" NPT (Female) - ½" Barb
244-2926	Nylon ½" NPT (Female) - ½" Barb
234-2936	Polypropylene ½" NPT (Female) - ⅝" Barb
244-2936	Nylon ½" NPT (Female) - ⅝" Barb
234-2946	Polypropylene ½" NPT (Female) - ¾" Barb
244-2946	Nylon ½" NPT (Female) - ¾" Barb

Swivel Elbow Adapters

234-3906	Polypropylene ½" NPT (Female) - ¼" Barb
244-3906	Nylon ½" NPT (Female) - ¼" Barb
234-3916	Polypropylene ½" NPT (Female) - ⅜" Barb
244-3916	Nylon ½" NPT (Female) - ⅜" Barb
234-3926	Polypropylene ½" NPT (Female) - ½" Barb
244-3926	Nylon ½" NPT (Female) - ½" Barb
234-3936	Polypropylene ½" NPT (Female) - ⅝" Barb
244-3936	Nylon ½" NPT (Female) - ⅝" Barb
234-3946	Polypropylene ½" NPT (Female) - ¾" Barb

244-3946 Nylon ½" NPT (Female) - ¾" Barb

NPT Male to Barb Couplings - Straight

244-5118 Nylon ⅜"-18 NPT (Male) - ⅜" Barb

244-5116 Nylon ½"-18 NPT (Male) - ⅜" Barb

244-5126 Nylon ½"-18 NPT (Male) - ½" Barb

244-5146 Nylon ½"-18 NPT (Male) - ¾" Barb

5900 Series Fittings

94-615-01 ½" Barb - elbow fitting kit Smart Sensor (2 fittings, 2 clips, 4 o-rings, grease)

5901 Extreme Series Fittings

21-1235-00 Fitting retainer

NPT Male to Barb Couplings - Elbow

244-6118 Nylon ⅜"-18 NPT (Male) - ⅜" Barb

244-6116 Nylon ½"-18 NPT (Male) - ⅜" Barb

244-6128 Nylon ⅜"-18 NPT (Male) - ½" Barb

244-6126 Nylon ½"-18 NPT (Male) - ½" Barb

Miscellaneous Fittings

244-4428 Nylon Tee - ½" Barb (x2) - ⅜" NPT (Male) (x1)

244-4522 Nylon Tee - ½" Barb (x3)

244-5286 Nylon Coupling Straight ⅜" NPT (Male) - ½" NPT (Male)

244-2356 Nylon Swivel Straight Garden Hose Adapter ¾" GHT (Male) - ½" NPT (Female)

244-2866 Nylon Swivel Straight Adapter ½" NPT (Female) - ½" NPT (Female)

244-3366 Nylon Swivel Elbow Adapter ½" NPT (Male) - ½" NPT (Female)

Strainers

255-223 Strainer ½" barb inlet x ½" NPSM female outlet

255-323 Strainer ½" barb inlet x ½" NPSM female outlet

255-225 Strainer ½" barb inlet x ½" NPT female swivel nut outlet

255-325 Strainer ½" barb inlet x ½" NPT female swivel nut outlet

255-222 Strainer ½" barb inlet x ½" barb outlet

255-322 Strainer ½" barb inlet x ½" barb outlet

255-213 Strainer ½" NPSM male inlet x ½" NPSM female outlet

255-313 Strainer ½" NPSM male inlet x ½" NPSM female outlet

255-215 Strainer ½" NPSM male inlet x ½" NPT female swivel nut outlet

255-315 Strainer ½" NPSM male inlet x ½" NPT female swivel nut outlet

253-120-00 Raw water strainer ½" NPT female inlet & outlet

253-120-01 Raw water strainer ½" NPT female inlet & outlet

253-121-01 Raw water strainer ½" NPT female inlet & outlet

253-220-00	Raw water strainer $\frac{3}{4}$ " NPT female inlet & outlet
253-220-01	Raw water strainer $\frac{3}{4}$ " NPT female inlet & outlet
253-221-01	Raw water strainer $\frac{3}{4}$ " NPT female inlet & outlet
253-320-00	Raw water strainer 1" NPT female inlet & outlet
253-320-01	Raw water strainer 1" NPT female inlet & outlet
253-321-01	Raw water strainer 1" NPT female inlet & outlet
253-400-00	Raw water strainer 1- $\frac{1}{4}$ " NPT female inlet & outlet
253-401-01	Raw water strainer 1- $\frac{1}{4}$ " NPT female inlet & outlet